



CY 2022 Real World Testing Plan for Criteriaions

Executive Summary

This is the real world test plan for CY 2022 for Criteriaions Software, Inc certified EHR solution. It provides the real world test measurements and metrics that meet the intent and objectives of ONC's Condition of Certification and Maintenance of Certification requirement for real world testing (§ 170.405 Real world testing) to evaluate compliance with the certification criteria and interoperability of exchanging electronic health information (EHI) within the care and practice setting which it is targeted for use.

As ONC has stated in its rule, "The objective of real world testing is to verify the extent to which certified health IT deployed in operational production settings is demonstrating continued compliance to certification criteria and functioning with the intended use cases as part of the overall maintenance of a health IT's certification." We have worked toward this objective in designing our test plan and its subsequent real world testing measurements and metrics.

This document builds toward the final testing measurements and metrics we will use to evaluate our product interoperability within production settings. Within each measure, we document planned testing methodology, associated ONC criteria, justification for measurement, expected outcomes from the testing, care settings applied for this measure, and if applicable the number of clients to use the our real world testing approach, including how our test cases were created, our selected methodology, the number of client/practice sites to use, and our general approach and justification for decisions.

We have included our timeline and milestones for completing the real world testing in CY 2022, and information about compliance with the Standards Version Advancement Process updates.

A table of contents with hyperlinks is provided later in the plan quick access to any document section, including the testing measurements and metrics found at the end of this document. Our signed attestation of compliance with the real world testing requirements is on the following page.



Developer Attestation

This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name: Mark Greenleaf

Authorized Representative Email: mark.greenleaf@criterions.com

Authorized Representative Phone: 516.466.1942

Authorized Representative Signature:

A handwritten signature in black ink, appearing to read "Mark Greenleaf", written over a horizontal line.

DATE: 9/7/2021



Executive Summary..... 1

Developer Attestation..... 2

General Information 4

Timeline and Milestones for Real World Testing CY 2022..... 5

Standards Version Advancement Process (SVAP) Updates 6

Real World Testing Measurements 7

 Testing Methodologies 7

 Number of Clients Sites..... 7

 Care and Practice Settings Targeted..... 8

 RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent 9

 RWT Measure #2. Number of Different Destinations C-CDAs Successfully Sent 11

 RWT Measure #3. Number of C-CDAs Received and/or Incorporated..... 13

 RWT Measure #4. Number of NewRx Prescriptions Messages Successfully Sent..... 15

 RWT Measure #5. Number of CancelRx Prescriptions Messages Successfully Sent 17

 RWT Measure #6. Number of Patient Batch Exports Run 19

 RWT Measure #7. Number of Quality Measures Successfully Reported on to CMS..... 20

 RWT Measure #8. Number of Patients Who Accessed/Logged in to Portal..... 22

 RWT Measure #9. Number of Immunization Messages Successfully Sent to IIS/Immunization
 Registries 24

 RWT Measure #10. Number of Patient Immunization History Queries Sent 26

 RWT Measure #11. Compliance of API Resource Query Support..... 28

 RWT Measure #12. Do you import in QRDA Cat I files from other systems to use in your
 quality measure calculations? 30

 RWT Measure #13. Do your patients report problems using the portal? 32

 RWT Measure #14. Do your patients report using the portal to transmit their health data to
 other parties and site?..... 33

 RWT Measure #15. How many different electronic case public registries do you connect
 with? 34



General Information

Plan Report ID Number: [For ONC-Authorized Certification Body use only]

Developer Name: Criteriaions Software Inc

Product Name(s): Criteriaions EHR

Version Numbers(s): 4

Certified Health IT Criteria: 315(b)(1)-(3), (b)(6), (c)(1)-(3), (e)(1), (f)(1), (f)(5), (g)(7)-(9)

Product List (CHPL) ID(s) and Link(s):

- 15.04.04.2705.Crit.04.00.1.191111
- <https://chpl.healthit.gov/#/listing/10171>

Developer Real World Testing Page URL: <https://criteriaions.com/rwt>



Timeline and Milestones for Real World Testing CY 2022

- 1Q-2022: Begin communication with clients to ask for their support and participation in real world testing. The goal is to have a sufficient number of clients committed for real world testing by the end of 1Q-2022.
- 2Q-3Q 2022. During the 2nd and 3rd quarter of CY 2022, the majority real world testing with clients will be scheduled and performed. We will attempt to do the eCQM testing in early 2022 to align with the MIPS submission window. Results will be documented in the test results section of the test methods and ultimately used to build the test report. If any non-compliances are observed, we will notify the ONC-ACB of the findings and make the necessary changes required.
- 4Q-2022. During the last quarter of the year, the CY 2023 real world test plan will be completed according to ONC and ONC-ACB requirements and expectations. Test plan will be prepared for submission before the end of the year.



Standards Version Advancement Process (SVAP) Updates

For CY 2022, we are not planning to make any version updates on approved standards through the SVAP process. We plan on implementing USCDI v1 in our C-CDAs and API support during CY 2022, but we have not finalized an exact date for rollout.

Standard (and version)	N/A
Updated certification criteria and associated product	N/A
Health IT Module CHPL ID	N/A
Method used for standard update	N/A
Date of ONC-ACB notification	N/A
Date of customer notification (SVAP only)	N/A
Conformance measure	N/A
USCDI-updated certification criteria (and USCDI version)	N/A

Real World Testing Measurements

The measurements for our real world testing plan are described below. Each measurement contains:

- Associated ONC criteria
- Testing Methodology used
- Description of the measurement/metric
- Justification for the measurement/metric
- Expected outcomes in testing for the measurement/metric
- Number of client sites to use in testing (if applicable)
- Care settings which are targeted with the measurement/metric

In each measurement evaluate, we elaborate specifically on our justification for choosing this measure and the expected outcomes. All measurements were chosen to best evaluate compliance with the certification criteria and interoperability of exchanging electronic health information (EHI) within the certified EHR.

Testing Methodologies

For each measurement, a testing methodology is used. For our test plan, we use the following methodologies.

Reporting/Logging: This methodology uses the logging or reporting capabilities of the EHR to examine functionality performed in the system. A typical example of this is the measure reporting done for the automate measure calculation required in 315(g)(2), but it can also be aspects of the audit log or customized reports from the EHR. This methodology often provides historical measurement reports which can be accessed at different times of the year and evaluate interoperability of EHR functionality, and it can serve as a benchmark for evaluating real world testing over multiple time intervals.

Compliance and/or Tool: This methodology uses inspection to evaluate if EHR is compliant to the ONC criteria requirements. It can be done through 1-v-1 inspection testing or utilize various tools to measure or evaluate compliance and interoperability. If an EHR Module capabilities is not widely used in production by current users, compliance inspection can provide assurance criteria is working as previously certified.

Survey/Self-Test: This methodology evaluates interoperability and compliance of EHR Module capabilities through feedback from users. ONC has recognized that self-testing can be a viable method for evaluation and compliance, and this methodology can provide insight into how clinicians employ and use a feature which reveals actual value and impact of interoperability of the EHR Module.

Number of Clients Sites



Within each measure, we note the minimum number of clients or client sites we plan to use for this measure evaluation. The numbers vary depending on the methodology as well as overall use of the associated EHR Module criteria by our users. For criteria that are not widely used by our customer base, we may test the respective measure in our own production-sandbox environment given lack of customer experience with the criteria functionality.

Care and Practice Settings Targeted

Our EHR is primarily targeted to general ambulatory practices covering a variety of care settings including orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. However, they all utilize our ONC certified capabilities common methods associated with ambulatory care. Our measures were design for these ambulatory settings in mind. In each measure, we do also address the care settings targeted and note any necessary adjustment or specific factor to consider with this specific measure.



RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent

Associated Criteria: 315(b)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are created and successfully sent from the EHR Module to a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a C-CDA patient summary record, including ability to record all clinical data elements, and by sending the C-CDA patient summary record, the EHR demonstrates successful interoperability of an exchanged patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

Criteriaions will track number of C-CDA files sent electronically via HISP and/or uploaded to RHIOs.

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the C-CDA patient summary record, including record required clinical data elements. In sending the C-CDA patient summary record, the EHR will demonstrate ability to confirm successful interoperability of an exchanged patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.



We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #2. Number of Different Destinations C-CDAs Successfully Sent

Associated Criteria: 315(b)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many different outbound destinations the EHR successfully sent C-CDAs via Direct messaging during a transition of care event over the course of a given time frame.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its breadth of its distribution across different partners. This measure provides assurance of interoperability of this EHR Module in production. Also, it provides information on the different destination count which can reveal how concentrated are the partners connecting with a given provider and be valuable in showing ways how health IT interoperability is utilized by an average provider.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

Criteriaions will record number of different outbound C-CDA recipients including direct messaging addresses and RHIOs.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A higher number indicates the interoperability feature is utilized across a wide range of different partners while a smaller number indicates a more focused distribution.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a



sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #3. Number of C-CDAs Received and/or Incorporated Associated Criteria: 315(b)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are successfully received and/or incorporated upon receipt from a 3rd party via Direct messaging during a transition of care event over the course of a given time frame.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can receive a C-CDA patient summary record, and by incorporating the C-CDA patient summary record, the EHR demonstrates successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

The measurement will produce numeric results over a given time frame interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

If any errors or very low numeric counts are encountered, we will investigate further.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the EHR can receive a C-CDA patient summary record. In incorporating the C-CDA patient summary record, the EHR will demonstrate successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.



Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #4. Number of NewRx Prescriptions Messages Successfully Sent

Associated Criteria: 315(b)(3)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many NewRx electronic prescriptions were created and successfully sent from the EHR Module to a pharmacy destination over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a NewRx SCRIPT electronic prescription message and transmit it to a pharmacy, typically via the Surescripts Network.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count. We will create a success rate of electronic prescriptions and note any transaction failures.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the NewRx message and send over a production network, like the Surescripts Network, to a pharmacy. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and



multispecialty. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #5. Number of CancelRx Prescriptions Messages Successfully Sent

Associated Criteria: 315(b)(3)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many CancelRx electronic prescriptions were created and successfully sent from the EHR Module to a pharmacy destination over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a CancelRx SCRIPT electronic prescription message and transmit it to a pharmacy, typically via the Surescripts Network.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize database reports to determine our measure count. If any errors or very low numeric counts are encountered, we will investigate further.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the CancelRx message and send over a production network, like the Surescripts Network, to a pharmacy. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a



sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #6. Number of Patient Batch Exports Run

Associated Criteria: 315(b)(6)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many batch exports of C-CDAs were successfully performed by the EHR Module over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a batch export of multiple C-CDA patient summary records.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize database queries to determine our measure count. If any errors or very low numeric counts are encountered, we will investigate further.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create a batch export of multiple C-CDA patient summary records, which can be used in means of health IT interoperability. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #7. Number of Quality Measures Successfully Reported on to CMS

Associated Criteria: 315(c)(1)-(c)(3)

Testing Methodology: Reporting/Logging/Survey

Measurement Description

This measure is tracking and counting how many eCQM quality measures were successfully reported on by the EHR Module to CMS over the course of a given interval.

Measurement Justification

This measure will provide a count and list of electronic clinical quality measures (eCQMs) which are calculated and submitted to CMS for a given program, like MIPS. Clinical quality measures are only used for the respective CMS programs and any production measures should utilize submission to CMS. Because CQM criteria, 315(c)(1)-(c)(3), all work collectively together in the eCQM functionality of the EHR Module, this measurement is used for all three.

Measurement Expected Outcome

The measurement will a count and list of eCQMs submitted to CMS over a given interval. We will utilize various reports and audit logs to determine our measure count.

We will capture this information from our system over the CMS MIPS reporting period of full calendar year.

A successful measure submission indicates compliance to the underlying ONC criteria. It will show that the EHR can do calculations on the eCQM and survey clients to confirm that they are accepted by CMS. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure result to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a



sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #8. Number of Patients Who Accessed/Logged in to Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients are successfully logged into and accessed their patient portal account over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that patients can log into their patient portal to view, download, or transmit their health data.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

We will track the number of patients who logged into the portal, as well as total number of logins, and contrast that with the patients seen by the respective providers during that same time.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that patients can log into their patient portal to view, download, or transmit their health data. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.



Care Settings and Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #9. Number of Immunization Messages Successfully Sent to IIS/Immunization Registries

Associated Criteria: 315(f)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many immunization messages are created and successfully sent from the EHR Module to an IIS/immunization registry over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create an immunization message, including ability to record all clinical data elements, and by sending the message, the EHR demonstrates successful interoperability with an IIS/immunization registry.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the HL7 immunization record, including ability to record the required clinical data elements. In sending the immunization message, the EHR will demonstrate ability to confirm successful interoperability of patient's immunization data to an IIS/immunization registry. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.



Care Settings and Number of Clients Site to Test

We designed this measure for all the primary care and pediatrics practices we serve as they are the only ones who regularly use immunization functionality. We will test a minimum of ten (10) client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.

RWT Measure #10. Number of Patient Immunization History Queries Sent

Associated Criteria: 315(f)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patient immunization history queries are created and successfully sent from the EHR Module to an IIS/immunization registry over the course of a given interval.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a patient immunization history query message, and by sending the message, the EHR demonstrates successful interoperability with an IIS/immunization registry.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count.

We will capture this information from our system over a period of a minimum of three (3) months to provide an accurate sample of real world interoperability.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the HL7 immunization history query of a patient. In sending the immunization message, the EHR will demonstrate ability to confirm successful interoperability with an IIS/immunization registry. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings and Number of Clients Site to Test

We designed this measure for all the primary care and pediatrics practices we serve as they are the only ones who regularly use immunization functionality. We will test a minimum of ten (10)



client practices. This number covers a sufficient percentage of existing practices to provide a viable sample of users of the certified EHRs.



RWT Measure #11. Compliance of API Resource Query Support

Associated Criteria: 315(g)(7)-(g)(9)

Testing Methodology: Compliance and Tool

Measurement Description

This measure is tracking compliance of the EHR Module criteria functionality of support of API query of patient data resources.

Measurement Justification

Because we do not currently believe our API is being actively used by clients, we will conduct real world testing by verifying the functionality that is available in production is still compliant with ONC requirements.

This measure will provide assurance of compliance to the EHR Module criteria, specifically ability to connect to the EHR's API resources and query patient clinical data through the API. This measure will also query the patient's C-CDA through the API and evaluate it against the [ONC C-CDA Scorecard tool](#). The C-CDA scorecard is designed for production use and measures how artifacts created by health IT compare against the HL7 C-CDA implementation guide and HL7 best practices.

Because API criteria, 315(g)(7)-(g)(9), all work collectively together in the API functionality of the EHR Module, this measurement is used for all three.

To avoid disclosing PHI, we will only work with test patients from the actual production environment or an appropriately production-mirrored environments to best evaluate production capabilities available to end users.

Measurement Expected Outcome

The user connects to the EHR through a client application via the API and is prompted for credentials and authentication according to the EHR's publicly available API documented specification. After supplying the correct credentials, the EHR returns a valid ID or token for the API Client to access the patient data. The user will query the patient clinical data resources via the API and receive access to them through the client application. Next, the user will query the C-CDA of the patient record and will run C-CDA through the Scorecard tool to obtain a result. We will also confirm the process and steps done by the user meet the criteria requirements of the EHR Module and works as expected in production as in a controlled test environment.



Number of Clients Site to Test

We designed this measure for all the ambulatory care settings that we support: orthopedics, primary care, dermatology, cardiology, neurology, OBGYN, ENT, pulmonology, pediatrics, and multispecialty. Because this feature is not regularly used by our clients, we will test this capability in production-type system either with a physician client who is able or internally, but either way this will verify certified functionality is working for end users.

Care Settings and Number of Clients Site to Test

This measure is applicable to all our targeted practice settings as the API capabilities work the same for all sites. Because this feature is not regularly used by our clients, we will test this capability in production-type system either with a physician client who is able or internally, but either way this will verify certified functionality is working for end users.

RWT Measure #12. Do you import in QRDA Cat I files from other systems to use in your quality measure calculations?

Associated Criteria: 315(c)(1)-(c)(3)

Testing Methodology: Survey/Self-Test

Measurement Description

This is a survey measure to determine how often you import in QRDA Cat I files for quality measure calculation.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically how often QRDA Category I files are imported in from an external source for quality measure calculation.

A survey or self-testing can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. This survey measure will reveal if users are using QRDA Cat Is from external systems or instead relying on the patient data just contained within their EHR. This measure covers all three of the CQM criteria (315(c)(1)-(c)(3)).

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Regularly
- Sporadically
- Rarely
- Never
- Don't Know

The answer will provide insight into how clinicians view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluate future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.



Care Settings and Number of Clients Site to Test

Our intention is to survey an appropriate number of our user community to gauge an adequate sample size. We will look to speak with physicians across our various care settings to best understand the interoperability status of this feature.



RWT Measure #13. Do your patients report problems using the portal?

Associated Criteria: 315(e)(1)

Testing Methodology: Survey/Self-Test

Measurement Description

This is a survey measure to determine what kind of issues patients are reporting around using the patient portal.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically if often patients are reporting any problems using the portal. In our design, the patients register themselves, but the provider can field support questions from their patient community. By survey our community, we can gain understanding of interoperability challenges encountered by the patients who are using the portal.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Were any patient portal access failures reported to you?
- If yes, what was the issue? System Failure. Incorrect login/password information. Multifactor authentication issue. Other. Please describe with any details available.

The answers will provide insight into how patients view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluate future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Care Settings and Number of Clients Site to Test

Our intention is to survey an appropriate number of our user community to gauge an adequate sample size. We will look to speak with physicians across our various care settings to best understand the interoperability status of this feature.



RWT Measure #14. Do your patients report using the portal to transmit their health data to other parties and site?

Associated Criteria: 315(e)(1)

Testing Methodology: Survey/Self-Test

Measurement Description

This is a survey measure to determine how often your patients are using the patient portal to transmit their health data to other parties.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically how often patients are reporting using the portal to transmit their data to external parties.

A survey or self-testing can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. The patient portal is intended to support patient engagement with their health records, and the ability to transmit their patient data, as a C-CDA or human readable copy, can be a useful feature.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Yes, many of them do
- Yes, but only some
- A few but it is rare
- Don't know/not heard of patients using it/no patients have asked

The answer will provide insight into how patients view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluate future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Care Settings and Number of Clients Site to Test

Our intention is to survey an appropriate number of our user community to gauge an adequate sample size. We will look to speak with physicians across our various care settings to best understand the interoperability status of this feature.



RWT Measure #15. How many different electronic case public registries do you connect with?

Associated Criteria: 315(f)(5)

Testing Methodology: Survey

Measurement Description

This is a survey measure to determine the number of electronic case public health registries you use.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically many different public health electronic case registries are used by the provider. As we are not sure if our physician community is submitting electronic case reporting through our EHR, we will survey them to determine its interoperability status.

A survey can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. This survey measure will the number and names of electronic reportable lab public health registries which are integrated with the EHR.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Numeric answer to the question, and if willing, the names of the other systems.
- Have you experienced any problems with connections?

The answer will provide insight into how clinicians view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluate future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Number of Clients Site to Test

Our intention is to survey an appropriate number of our user community to gauge an adequate sample size. We will look to speak with physicians across our various care settings to best understand the interoperability status of this feature.